

## 柱面微透镜准品:

如果标准品中的产品规格不符合您和需求, 可以联系我们负责人进行定制。

微透镜阵列型号	子单元口径	焦距/mm	外形尺寸	厚度	曲率半径	数值孔径	镀膜
MLCL-25-F0.04	25.0μm	0.04	15mm×15mm	1mm	-0.01837	0.3125	未镀膜
MLCL-98-F3.0	98.0μm	3	35mm×35mm	2mm	-1.371	0.0163333	未镀膜
MLCL-98-F3.0	98.0μm	3	20mm×20mm	2mm	-1.38212	0.0163333	未镀膜
MLCL-98-F150	98.0μm	150	20mm×20mm	2mm	-69.10595	0.0003267	未镀膜
MLCL-98-F3.5	98.0μm	3.5	36mm×24mm	1mm	-1.55	0.014	未镀膜
MLCL-153-F2.17	153.0μm	2.17	7mm×1.5mm	1mm	-0.963	0.0352535	未镀膜
MLCL-158-F0.613	158.0μm	0.613	15mm×15mm	1mm	-0.28	0.1288744	未镀膜
MLCL-170-F0.613	170.0μm	0.613	15mm×15mm	1mm	-0.28	0.1386623	未镀膜
MLCL-200-F1.0	200.0μm	1	15mm×15mm	1mm	-0.46	0.1	未镀膜
MLCL-198-F1.62	198.0μm	1.62	30mm×30mm	1mm	-0.74	0.0611111	未镀膜
MLCL-195-F2.17	195.0μm	2.17	7mm×1.5mm	1mm	-0.963	0.0449309	未镀膜
MLCL-195-F2.17	195.0μm	2.17	6.4mm×1.5mm	1mm	-0.963	0.0449309	未镀膜
MLCL-218-F7.666	218.0μm	7.666	10mm×10mm	1.2mm	-3.6	0.0142186	未镀膜
MLCL-238-F1.8	238.0μm	1.8	100mm×100mm	1mm	-0.82263	0.0661111	未镀膜
MLCL-250-F1.5719	250.0μm	1.5719	10mm×10mm	1mm	-0.71	0.0795216	未镀膜
MLCL-248-F1.5719	248.0μm	1.5719	10mm×10mm	1mm	-0.71	0.0788854	Ar
MLCL-248-F1.5719	248.0μm	1.5719	4.5mm×9.0mm	1mm	-0.711	0.0788854	Ar
MLCL-248-F10.0	248.0μm	10	20mm×20mm	2mm	-4.6071	0.0124	Ar
MLCL-248-F1.556	248.0μm	1.556	35mm×35mm	2mm	-1.371	0.0796915	未镀膜
MLCL-250-F1.5741	250.0μm	1.5741	6.0mm×9.0mm	1.1mm	-0.711	0.0794105	Ar
MLCL-248-F60.0	248.0μm	60	50mm×15mm	1mm	-27.0025	0.0020667	未镀膜
MLCL-300-F5.0	300.0μm	5	15mm×15mm	1mm	-2.285	0.03	未镀膜
MLCL-298-F1.62	298.0μm	1.62	16mm×8mm	1mm	-0.74	0.0919753	未镀膜
MLCL-300-F7.877	300.0μm	7.877	15mm×15mm	1mm	-3.6	0.0190428	未镀膜
MLCL-300-F7.666	300.0μm	7.666	10mm×10mm	1.2mm	-3.6	0.0195669	未镀膜
MLCL-300-F7.666	300.0μm	7.666	18mm×6mm	2.3mm	-3.6	0.0195669	未镀膜
MLCL-300-F7.666	300.0μm	7.666	18mm×7mm	2.3mm	-3.6	0.0195669	未镀膜
MLCL-298-F3.2384	298.0μm	3.2384	30mm×30mm	1mm	-1.48	0.0460104	未镀膜
MLCL-298-F2.16	298.0μm	2.16	30mm×30mm	1mm	-0.9871	0.0689815	未镀膜
MLCL-298-F1.62	298.0μm	1.62	30mm×30mm	1mm	-0.74	0.0919753	未镀膜
MLCL-320-F8.0	320.0μm	8	15mm×15mm	1mm	-3.65615	0.02	未镀膜
MLCL-400-F30.4145617	400.0μm	30.4145617	8mm×8mm	2mm	-13.9	0.0065758	未镀膜
MLCL-500-F3.481	500.0μm	3.481	13mm×1.5mm	1mm	-1.578	0.0718184	Ar
MLCL-500-F10.0	500.0μm	10	15mm×15mm	1mm	-4.57	0.025	未镀膜
MLCL-498-F10.0	498.0μm	10	20mm×20mm	2mm	-4.6071	0.0249	未镀膜
MLCL-498-F10.0	498.0μm	10	20mm×20mm	2mm	-4.6071	0.0249	Ar
MLCL-500-F20.0	500.0μm	20	15mm×15mm	1mm	-9.14	0.0125	未镀膜
MLCL-500-F30.0	500.0μm	30	15mm×15mm	1mm	-13.71	0.0083333	未镀膜
MLCL-500-F40.0	500.0μm	40	15mm×15mm	1mm	-18.28	0.00625	未镀膜
MLCL-500-F10.0	500.0μm	10	20mm×10mm	1mm	-4.608	0.025	未镀膜
MLCL-500-F15.0	500.0μm	15	15mm×15mm	1mm	-6.9105	0.0166667	未镀膜
MLCL-498-F15.0	498.0μm	15	50mm×15mm	1mm	-6.75	0.0166	未镀膜

MLCL-498-F3.3443	498.0μm	4.3443	10mm×10mm	1mm	-2.04	0.0573165	未镀膜
MLCL-498-F150.0	498.0μm	150	20mm×20mm	2mm	-69.10595	0.00166	未镀膜
MLCL-498-F60	498.0μm	60	50mm×15mm	1mm	-27.0025	0.00415	未镀膜
MLCL-500-F50.0	500.0μm	50	20mm×10mm	2mm	-23.035	0.005	未镀膜
MLCL-550-F35.0	550.0μm	35	12mm×12mm	2mm	-15.541	0.0078571	未镀膜
MLCL-898-F50.0	898.0μm	50	50mm×15mm	1mm	-22.502	0.00898	未镀膜
MLCL-898-F100.0	898.0μm	100	50mm×15mm	1mm	-45.005	0.00449	未镀膜
MLCL-1000-F43.38	1000.0μm	43.38	16mm×18mm	2mm	-20	0.011526	未镀膜
MLCL-998-F43.38	998.0μm	43.38	16mm×18mm	2mm	-20	0.011503	Ar
MLCL-998-F300.0	998.0μm	300	25mm×20mm	2mm	-138.2119	0.0016633	未镀膜
MLCL-998-F200.0	998.0μm	200	25mm×20mm	2mm	-92.14127	0.002495	未镀膜
MLCL-1000-F103.0	1000.0μm	103	60mm×40mm	2mm	-50	0.0048544	未镀膜
MLCL-1000-F200.0	1000.0μm	200	20mm×10mm	2mm	-92.14127	0.0025	未镀膜
MLCL-1500-F300.0	1500.0μm	300	25mm×25mm	2mm	-168.25	0.0025	未镀膜
MLCL-500-F10.4	500.0μm	10.4	10mm×10mm	1mm	-4.608	0.025	未镀膜
MLCL-500-F20.0	500.0μm	20	10mm×10mm	1mm	-9.14	0.0125	未镀膜

